

Red-D-Arc Welderrentals

A.Econ.

Calibration Certificate

Miller ProHeat 35

Unit Serial Number: LH 3600446 Date Tested: Jan 31/17

Certified Calibration

Primary Standard						
	382° (F) 2.787VDC@RC9		882° (F) 6.013VDC@RC9		1382° (F) 9.239VDC@RC9	
	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display
TC1	2.788	383	6.015	884	9.250	1383
TC2	2.800	384	6.031	884	9.256	1383
TC3	2.797	384	6.028	883	9.260	1384
TC4	2.798	383	6.029	883	9.258	1384
TC5	2.797	383	6.012	883	9.252	1383
TC6	2.801	384	6.029	884	9.254	1383
Allowable	2.749-2.825	+/- 3° F	5.975-6.051	+/- 3° F	9.201-9.277	+/- 3° F

Instruments Used:

Fluke 714 Thermocouple Calibrator SN: 2118055

Precision Digital Voltage Meter SN: 2142011

Machine re-calibration due date: Jan 31/18

Calibration Date: Sept 21/16

Calibration Date Sept 21/16

Red-D-Arc does hereby certify the above instrument was calibrated against standards maintained by Red-D-Arc and meets or exceeds all published specifications. The accuracy of these standards is directly traceable to the National Institute of Standards and Technology.

Unit passed inspection.



Technician: D. Buser

Date: Jan 31/17

Signature