

# Red-D-Arc Welderrentals

## Calibration Certificate

### Miller ProHeat 35

Unit Serial Number: LK230189G

Date Tested: 22/06/15

### Certified Calibration

Primary Standard						
	382° (F) 2.787VDC@RC9		882° (F) 6.013VDC@RC9		1382° (F) 9.239VDC@RC9	
	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display
TC1	2.790	383	6.015	883	9.245	1382
TC2	2.793	383	6.024	883	9.247	1382
TC3	2.794	383	6.026	882	9.243	1382
TC4	2.795	383	6.021	882	9.253	1382
TC5	2.792	383	6.011	882	9.242	1382
TC6	2.790	383	6.017	882	9.247	1382
Allowable	2.749-2.825	+/- 3° F	5.975-6.051	+/- 3° F	9.201-9.277	+/- 3° F

#### Instruments Used:

Fluke 714 Thermocouple Calibrator SN: 2118055

Calibration Date: 24/07/14

Precision Digital Voltage Meter SN: 2142011

Calibration Date: 24/07/14

Machine re-calibration due date: 22/06/16

Red-D-Arc does hereby certify the above instrument was calibrated against standards maintained by Red-D-Arc and meets or exceeds all published specifications. The accuracy of these standards is directly traceable to the National Institute of Standards and Technology.

Unit passed inspection.



Technician:

*Gus Rechi*

Date:

*22-06-15*

Signature